

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 367 491 A1

(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC


(43) Date of publication:
03.12.2003 Bulletin 2003/49(51) Int Cl.7: **G06F 12/00**, **G06F 13/00**,
H04N 7/173(21) Application number: **02710451.2**(86) International application number:
PCT/JP02/00820(22) Date of filing: **01.02.2002**(87) International publication number:
WO 02/063474 (15.08.2002 Gazette 2002/33)(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR

- **GNONNO, Yoshihisa, C/O SONY CORPORATION**
Tokyo 141-0001 (JP)
- **TSUNODA, Tomohiro,**
C/O SONY CORPORATION
Tokyo 141-0001 (JP)
- **YAMAGISHI, Yasuaki,**
C/O SONY CORPORATION
Tokyo 141-0001 (JP)

(30) Priority: **05.02.2001 JP 2001028387**(71) Applicant: **Sony Corporation**
Tokyo 141-0001 (JP)(72) Inventors:
• **NISHIO, Fumihiko, C/O SONY CORPORATION**
Tokyo 141-0001 (JP)(74) Representative: **DeVile, Jonathan Mark, Dr.**
D. Young & Co
21 New Fetter Lane
London EC4A 1DA (GB)**(54) RECEIVING DEVICE, RECEIVING METHOD AND NAME SOLUTION METHOD**

(57) At step S1, a URI of a desired content is input. At step S3, corresponding to the input URI, a proper resolution executing portion is selected. A plurality of resolution executing portions perform processes in parallel. At step S4, with reference to a correlation table that correlates identification names of contents and file names in a storing unit, a name resolving process is performed. At step S6, with reference to name resolution table data

transmitted as an MPEG2 section table in a satellite broadcast, a name resolving process is performed. At step S8, by communicating with a name resolving service on a network such as DNS, a name resolving process is performed. After the name resolving processes in all methods have been completed, at step S10, an acquired location list L is sent to a content acquiring portion. The content acquiring portion references the list L and acquires a content designated by the URI.

Fig. 5

Description**Technical Field**

[0001] The present invention relates to a receiving apparatus, a receiving method, and a name resolving method used in the technical field of for example data distribution.

Background Art

[0002] Currently, on the Internet, information/data (content) described in HTML (Hypertext Markup Language)/XML (eXtensible Markup Language) is distributed. As a procedure for acquiring data on the Internet, the user inputs a URI (Uniform Resource Identification name) (or URL (Uniform Resource Locator), this notation is applied in the following description)) that identifies his or her desired content on a client unit. A content corresponding to the input URI is transmitted from a web server. The URI/URL is a standard notation used to reference data distributed on WWW (World Wide Web).

[0003] In a conventional data distributing system using the Internet, to convert an input URI into a content or to interpret an input URI as a content, a DNS (Domain Name System) and a web server perform a name resolving process for the content. The name resolving process normally stands for a process for translating a domain name into an IP address or vice versa. However, in this specification, the name resolving process stands for a process for converting an identifier into a physical location of a content or interpreting an identifier as a physical location of a content.

[0004] In future, it is expected that a data broadcasting system will be established and various types of contents such as program information and program advertisement information will be distributed through a broadcasting network. To reference and identify data that is distributed by such a data broadcasting system, it is preferred to reference them with the URI format that is used in HTML documents or the like of the Internet. However, it is difficult to interpret an URI and reference a corresponding content on a broadcasting network using the same name resolving system, which uses a DNS and a web server as a conventional web. Generally, a name resolving system dedicated for a URI of a content on a broadcasting network is used.

[0005] In future, when the Internet and the broadcasting network will be further unified, it can be predicted that a content uniquely identified by a particular URI is distributed on the Internet and a plurality of digital broadcasting networks. From this point of view, it is necessary to unify the URI name resolving system for the Internet and the URI name resolving system for digital broadcasting network.

[0006] Therefore, an object of the present invention is to provide a receiving apparatus, a receiving method, and a name resolving method that allow different con-

tent name resolving systems used on various networks to be unified.

Disclosure of the Invention

[0007] To solve the forgoing problem, claim 1 of the present invention is a receiving apparatus for receiving data as a content to be provided, comprising:

a receiving means for receiving data;
a content storing means for storing data as a content received by the receiving means;
an identifier identifying means for identifying an identifier of a desired content;
a name resolving means for interpreting the identified identifier and identifying the location of the content;
a content acquiring means for acquiring a content from the location identified by the name resolving means;
a means for causing the content acquiring means to acquire a content; and
a reproducing means for reproducing a content acquired by the content acquiring means.

[0008] Claim 9 of the present invention is a receiving method for receiving data as a content to be provided, comprising the steps of:

receiving data and storing the received content data;
identifying an identifier of a desired content;
interpreting the identified identifier and identifying the location of the content;
acquiring a content from the location identified at the name resolving step; and
reproducing the acquired content.

[0009] Claim 17 of the present invention is a name resolving method, comprising the steps of:

identifying an identifier of a desired content;
interpreting the identified identifier; and
identifying the location of the content,
wherein the name resolving method includes a name resolution executing method, and
wherein the name resolution executing method is performed by referencing a correlation table that correlates identifiers and locations of contents.

[0010] According to the present invention, since there are an identifier identifying means and a name resolving means, content name resolving systems on a plurality of networks can be unified. In addition, according to the present invention, since name resolution table that is transmitted from the outside and an external name resolution table can be referenced, a new name resolving means can be easily extensibly used.

Brief Description of Drawings

[0011]

Fig. 1 is a block diagram showing the structure of a content providing system according to an embodiment of the present invention; Fig. 2 is a block diagram showing the structure of an example of a broadcasting station according to an embodiment of the present invention; Fig. 3 is a block diagram showing the structure of an example of a receiving apparatus according to the embodiment of the present invention; Fig. 4 is a schematic diagram showing the structure of an example of a name resolving portion of the receiving apparatus; Fig. 5 is a flow chart showing a name resolving procedure; Fig. 6 is a schematic diagram showing an example of a correlation table of URIs and content locations; and Fig. 7 is a schematic diagram for explaining a name resolving process of the content providing system.

Best Modes for Carrying out the Invention

[0012] Next, with reference to the accompanying drawings, an embodiment of the present invention will be described. Fig. 1 shows an example of a content providing system according to the embodiment of the present invention. Information providing units 101₁ and 101₂ store content data that they provide in their server units. An example of content data is a WWW (World Wide Web) page described in XML or HTML. The information providing units 101₁ and 101₂ are connected to a broadcasting station 102 and receiving apparatuses 103₁ and 103₂ through a bi-directional network 105.

[0013] The broadcasting station 102 stores content data that it provides in its server unit. The broadcasting station 102 is connected to the receiving apparatuses 103₁ and 103₂ through a multi-cast network 104. As a result, the broadcasting station 102 provides content data to the receiving apparatuses 103₁ and 103₂. In addition, the broadcasting station 102 receives content data from the information providing units 101₁ and 101₂ through the bi-directional network 105 or a dedicated line and provides the received content data to the receiving apparatuses 103₁ and 103₂ through the multi-cast network 104. A real example of the multi-cast network is a broadcast (a digital broadcast such as a satellite broadcast or a ground wave broadcast).

[0014] The receiving apparatuses 103₁ and 103₂ receive and store contents and provide them to their users. Information of contents is transmitted to and stored in the receiving apparatuses 103₁ and 103₂ through the multi-cast network 104. Alternatively, information of contents is transmitted to the receiving apparatuses 103₁ and 103₂ through the bi-directional network 105.

[0015] Fig. 2 shows an example of the structure of the broadcasting station 102. A content operating portion

201 inputs a content. The input content is stored in a content storing portion 202. Each of contents stored in the content storing portion 202 is assigned a unique identification name. The identification names and information of locations of contents (this information is referred to as content location information) are stored in a name registering portion 204. The content location information is for example a file name of a content stored in the content storing portion 202 or a network address of a server that stores a content. When a content is broadcast, the content location information is for example information that designates a stream that is broadcast.

[0016] A content stored in the content storing portion 202 is transmitted to the receiving apparatuses 103₁ and 103₂ through a transmitting portion 203 and the multi-cast network 104. In addition, corresponding to requests from the receiving apparatuses 103₁ and 103₂, contents may be transmitted to the receiving apparatuses 103₁ and 103₂ through a communication controlling portion 205 and the bi-directional network 105.

[0017] As with a content, an identifier thereof and content location information stored in the name registering portion 204 are transmitted to the receiving apparatuses 103₁ and 103₂ through the transmitting portion 203 and the multi-cast network 104. In addition, when the receiving apparatuses 103₁ and 103₂ inquire for name resolving processes, corresponding to information of the name registering portion 204, the inquired content location information can be replied to the receiving apparatuses 103₁ and 103₂ through the communication controlling portion 205 and the bi-directional network 105.

[0018] The structure of each of the information providing units 101₁ and 101₂ is the same as the structure of the broadcasting station 102 except that each of the information providing units 101₁ and 101₂ does not contain the transmitting portion 203 shown in Fig. 2.

[0019] Fig. 3 shows an example of the structure of the receiving apparatus 103₁. A receiving portion 306 receives a content through the multi-cast network 104 and stores the received content to a content storing portion 303. Alternatively, a communication controlling portion 307 receives a content through a bi-directional network on demand. The communication controlling portion 307 stores the received content to the content storing portion 303.

[0020] The user inputs an identification name of a desired content with an input portion 301. A name resolving portion 302 interprets an identifier of the input content and passes location information for the content to a content acquiring portion 304. The content acquiring portion 304 actually acquires a content corresponding to the received content location information passed from the name resolving portion 302.

[0021] To acquire a content through the multi-cast network 104, the receiving portion 306 is controlled by the content acquiring portion 304. Likewise, to acquire a content through the bi-directional network 105, the com-

munication controlling portion 307 is controlled by the content acquiring portion 304. Normally, the acquired content is temporarily stored in the content storing portion 303. A content acquired through the content acquiring portion 304 is displayed on a content displaying portion 305.

[0022] Fig. 4 shows a detailed structure of an example of the name resolving portion 302 of each of the information providing units 101₁ and 101₂. An identification name of a content that is input from the input portion 301 is converted into content location information by a name resolving process. There are various name resolution processing protocols for contents on the Internet, for contents on broadcasting networks, and for contents in storing/recording units of receiving apparatuses.

[0023] For a content on the Internet, a name resolving system, for example, a conventional DNS is used. For a content on a digital broadcast, a name resolving system that references a name resolution table that is broadcast along with the content is used. For a content in a storing/recording unit of a receiving apparatus, a name resolving system that references a correlation table that correlates identification names of contents and file names in the storing unit is used.

[0024] Besides a difference in name resolving protocols corresponding to network types, there is a possibility of which there is a difference in name resolving protocols corresponding to name managing organizations. For example, when a name resolving process for an identifier assigned by a system of a particular name managing organization is performed, it may be necessary to be connected to a special name resolving system.

[0025] The name resolving portion 302 causes a plurality of resolution executing portions 402, 403, and 404 to execute a plurality of different name resolving protocols. The resolution executing portion 402 references a correlation table that correlates identification names of contents and file names in the storing unit and performs a name resolving process. In contrast, the resolution executing portion 403 references a name resolution table broadcast along with a content in the receiving portion 306 and performs a name resolving process. The resolution executing portion 404 communicates with an external name resolving system through the communication controlling portion 307 and the bi-directional network 105 and performs a name resolving process. A name resolution selecting portion 401 selects a proper resolution executing portion corresponding to an identifier that is input from the input portion 301. The selected resolution executing portion performs a name resolving process.

[0026] Alternatively, when programs of the resolution executing portions 402, 403, and 403 are downloaded through a network, a new name resolving protocol can be used. The resolved content location information is sent to the content acquiring portion 304 (a plurality of types of content location information may be sometimes

sent).

[0027] Fig. 5 is a flow chart showing a name resolving process. At step S1, an identification name URI of a desired content is input with the input portion 301. At step S2, a content location list L is initialized. At step S3, with reference to the input URI, the name resolution selecting portion 401 selects a proper resolution executing portion from the resolution executing portions 402, 403, and 404. When a URI has a special format, a predetermined resolution executing portion performs a corresponding name resolving process. Since one content may be distributed on various networks, unless a resolution executing portion is selected corresponding to the format of the URI or the like, the resolution executing portions 402, 403, and 404 perform respective name resolving processes.

[0028] Fig. 5 shows processes that the resolution executing portions 402, 403, and 404 perform in parallel. In other words, the resolution executing portion 402 performs processes of steps S4 and S5. The resolution executing portion 403 performs processes of steps S6 and S7. The resolution executing portion 404 performs processes of steps S8 and S9. Alternatively, these resolution executing portions may successively perform their processes.

[0029] At step S4, the resolution executing portion 402 references a correlation table that correlates identifier names of contents and file names in a storing unit (for example, the content storing portion 303) and performs a name resolving process. At step S5, the resolution executing portion 402 adds location information corresponding to the input URI to the list L in the content storing portion 303. At step S6, the resolution executing portion 403 references name resolution table data transmitted as an MPEG2 section table in a satellite broadcast and performs a name resolving process. At step S7, the resolution executing portion 403 adds location information corresponding to the input URI to the list L. At step S8, the resolution executing portion 404 communicates with a name resolving service such as DNS on a network and performs a name resolving process. At step S5, the resolution executing portion 404 adds location information corresponding to the input URI to the list L. After the name resolving processes in all the methods have been completed, at step S10, the obtained location list L is sent to the content acquiring portion 304. The content acquiring portion 304 references the location list L and acquires a content designated by the URI.

[0030] Fig. 6 shows some examples of tables that correlate URIs and location information (locators). In Fig. 6A, reference numeral 601 represents a correlation table that correlates identification names and names of contents (file names) in the case that the contents have been stored in a storing unit of the receiving apparatus (for example, the content storing portion 303). The receiving apparatus manages the correlation table 601. The name resolution executing portion 402 references

the correlation table 601, extracts a locator (file name) corresponding to the URI to be resolved, and supplies the extracted file name to the content acquiring portion 304.

[0031] In Fig. 6B, reference numeral 602 represents a correlation table that correlates identification names and location information (channels) that designates broadcast streams. The information providing units 101₁ and 101₂ on the transmission side or the broadcasting station 102 transmits the correlation table 602 in the format of for example MPEG2 section table. The receiving apparatus has received the correlation table 602. The name resolution executing portion 403 references the correlation table 602, extracts a locator corresponding to the URI to be resolved, and supplies the extracted locator to the content acquiring portion 304. The content acquiring portion 304 accesses a stream corresponding to the locator and acquires the content.

[0032] In Fig. 6C, reference numeral 603 represents a correlation table that correlates identification names and locations of content servers (addresses of servers and so forth) on the Internet in the case that the contents are stored in the servers on the Internet. A name resolving server on a network has such a correlation table 603. When the resolution executing portion 404 performs a name resolving process, the resolution executing portion 404 inquires the name resolving server for a locator corresponding to a URI and extracts the locator therefrom.

[0033] Fig. 7 schematically shows a name resolving system. As an example, a content 604 with an identifier name (uri://abc/ghi.mpg) is present in the content storing portion 303 of a receiving apparatus 701, a data broadcast 702, and a web server 703 on the Internet. Location information that represents the location of the content 604 is described in the correlation tables 601, 602, and 603. The resolution executing portions 402, 403, and 404 perform the following name resolving processes for designating the location of the content 604.

[0034] The resolution executing portion 402 references the correlation table 601, which correlates identification names of contents and file names in the storing unit, and determines whether or not the content storing portion 303 has stored the content corresponding to the input URI. In the example of the correlation table 601 shown in Fig. 6A, the input URI has been stored. The locator is (file://abc-defghi.mpg).

[0035] As with a content, the resolution executing portion 403 references the correlation table 602 such as an MPEG-2 section table that is transmitted from a broadcasting station and performs a name resolving process. In the example shown in Fig. 6B, the locator corresponding to the input URI is (dvb://123.256.789; 111@2000-07-08T00:00:00D120).

[0036] The resolution executing portion 404 communicates with a name resolving service (a server that has the correlation table 603, which correlates names and locations, for example, a DNS server 704) on a network

through the communication controlling portion 307 on demand and performs a name resolving process. In the example shown in Fig. 6C, the locator corresponding to the input URI is (http://192.168.0.1/-def/ghi.mpg). The resolution executing portion 404 accesses a web server 703 represented by the locator and acquires the content.

[0037] It should be noted that the present invention is not limited to the forgoing embodiment. In other words, without departing from the spirit of the present invention, various modification and ramifications of the forgoing embodiment are available. For example, a name resolution executing means can be received through a network. An extensible system such as additional software for example plug-in software can be used. The content storing unit of the receiving apparatus is not limited to an internal hardware unit of the receiving apparatus. Alternatively, a storing unit that is accessible through an intra network can be used. In addition, as a network that has contents, other than the forgoing structure can be used. In addition, the present invention is not limited to content identifiers described in URI/URL. Other than identifiers described in URI/URL can be used.

[0038] According to the present invention, the content name resolving means of the receiving apparatus unifies content name resolving processes on various networks. Thus, by inputting an identifier of a content that has been unified regardless of the location thereof, the user can acquire the content. As a result, the operability of the receiving apparatus can be improved. In addition, according to the present invention, since a name resolution table that is transmitted from a broadcasting station and an external name resolution table can be referenced, a new name resolving means can be easily extensibly used.

Claims

1. A receiving apparatus for receiving data as a content to be provided, comprising:

receiving means for receiving data;
content storing means for storing data as a content received by the receiving means;
identifier identifying means for identifying an identifier of a desired content;
name resolving means for interpreting the identified identifier and identifying the location of the content;
content acquiring means for acquiring a content from the location identified by the name resolving means;
means for causing the content acquiring means to acquire a content; and
reproducing means for reproducing a content acquired by the content acquiring means.

2. The receiving apparatus as set forth in claim 1,
wherein the name resolving means is composed of a plurality of name resolution executing means. 5
3. The receiving apparatus as set forth in claim 2,
wherein the name resolution execution means are disposed corresponding to name resolving systems. 10
4. The receiving apparatus as set forth in claim 1,
wherein the name resolving means communicates with an external name resolving system through a network and performs a name resolving process. 15
5. The receiving apparatus as set forth in claim 1,
wherein the name resolving means references a name resolution table transmitted through a multi-cast network and performs a name resolving process. 20
6. The receiving apparatus as set forth in claim 1,
wherein contents stored in the receiving apparatus and identifiers of the contents are correlated as information, and 25
wherein a name resolving process is performed corresponding to the information.
7. The receiving apparatus as set forth in claim 1,
wherein the name resolution executing means are disposed corresponding to name systems established by name managing organizations. 30
8. The receiving apparatus as set forth in claim 1,
wherein the name resolution executing means is extensibly received through a network. 35
9. A receiving method for receiving data as a content to be provided, comprising the steps of: 40

receiving data and storing the received content data;
identifying an identifier of a desired content;
interpreting the identified identifier and identifying the location of the content; 45
acquiring a content from the location identified at the name resolving step; and
reproducing the acquired content. 50
10. The receiving method as set forth in claim 9,
wherein the name resolving step includes a plurality of name resolution executing steps.
11. The receiving method as set forth in claim 10,
wherein the name resolving step is performed for each of name resolving systems. 55
12. The receiving method as set forth in claim 9,
wherein the name resolving step is performed by communicating with an external name resolving system through a network.
13. The receiving method as set forth in claim 9,
wherein the name resolving step is performed by referencing a name resolution table transmitted through a multi-cast network.
14. The receiving method as set forth in claim 9,
wherein contents stored in a receiving apparatus and identifiers of the contents are correlated as information, and
wherein a name resolving process is performed corresponding to the information.
15. The receiving method as set forth in claim 9,
wherein the name resolution executing step is performed for each of name systems established by name managing organizations.
16. The receiving method as set forth in claim 9,
wherein the name resolution executing step is extensible by additional software.
17. A name resolving method, comprising the steps of:

identifying an identifier of a desired content;
interpreting the identified identifier; and
identifying the location of the content,

wherein the name resolving method includes a name resolution executing method, and
wherein the name resolution executing method is performed by referencing a correlation table that correlates identifiers and locations of contents.


Fig. 1


Fig. 2102

Fig. 3





Fig. 4


Fig. 5

Fig. 6A

URI	Locator
uri://abc/ghi.mpg	file://abc-def-ghi.mpg
uri://abc/zzz.mpg	file://xxx-yyy-zzz.mpg
⋮	⋮


Fig. 6B

URI	Locator
uri://abc/ghi.mpg	dvb://123.256.789,111@2000-07-08T00:00:00D120
uri://abc/ghi.mpg	dvb://123.256.789,111@2000-07-15T00:00:00D120
uri://xxx/zzz.mpg	dvb://987.654.321,111@2000-07-10T12:00:00D120
⋮	⋮

Fig. 6C

URI	Locator
uri://abc/ghi.mpg	http://192.168.0.1/def/ghi.mpg
uri://abc/ghi.mpg	http://172.16.0.1/def/ghi.mpg
uri://xxx/zzz.mpg	http://192.168.100.10/yyy/zzz.mpg
⋮	⋮

Fig. 7



DESCRIPTION OF REFERENCE NUMERALS

- 102 . . . BROADCASTING STATION
- 103₁, 103₂ . . . RECEIVING APPARATUS
- 104 . . . MULTI-CAST NETWORK
- 105 . . . BI-DIRECTIONAL NETWORK
- 204 . . . NAME REGISTERING PORTION
- 301 . . . INPUT PORTION
- 302 . . . NAME RESOLVING PORTION
- 303 . . . CONTENT STORING PORTION
- 304 . . . CONTENT ACQUIRING PORTION
- 305 . . . CONTENT DISPLAYING PORTION
- 306 . . . RECEIVING PORTION
- 307 . . . COMMUNICATION CONTROLLING PORTION
- 401 . . . NAME RESOLUTION SELECTING PORTION
- 402, 403, 404 . . . RESOLUTION EXECUTING PORTION
- S1 . . . INPUT URI WITH INPUT PORTION
- S2 . . . CONTENT LOCATION L = 0
- S3 . . . NAME RESOLUTION SELECTING PORTION SELECTS RESOLUTION EXECUTING
PORTION
- S4 . . . HAS CONTENT CORRESPONDING TO URI BEEN STORED ?
- S5 . . . ADD LOCATION IN CONTENT STORING PORTION TO L
- S6 . . . IS THERE CONTENT CORRESPONDING TO NAME RESOLUTION TABLE RECEIVED
BY RECEIVING PORTION ?
- S7 . . . ADD LOCATION TO L

- S8 . . . CAUSE EXTERNAL NAME RESOLVING SYSTEM TO PERFORM NAME RESOLVING
PROCESS THROUGH COMMUNICATION CONTROLLING PORTION
- S9 . . . ADD LOCATION TO L
- S10 . . . SEND L TO CONTENT ACQUIRING PORTION

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP02/00820

A. CLASSIFICATION OF SUBJECT MATTER		
Int.Cl. ⁷ G06F12/00, 13/00, H04N7/173		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
Int.Cl. ⁷ G06F12/00, 13/00, H04N7/173		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Jitsuyo Shinan Koho	1922-1996	Toroku Jitsuyo Shinan Koho 1994-2002
Kokai Jitsuyo Shinan Koho	1971-2002	Jitsuyo Shinan Toroku Koho 1996-2002
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	JP 2000-285057 A (Sony Corp.), 13 October, 2000 (13.10.00), Full text; all drawings	1, 2, 4-7, 9, 10, 12-15, 17
A	(Family: none)	3, 8, 11, 16
A	DOUGLAS E. COMER, TCP/IP ni yoru Network Kochiku- Genri: Protocol Architecture, Kyoritsu Shuppan Co., Ltd., 05 July, 1990 (05.07.90), Pages 171 to 184 (DOUGLAS E. COMER, Internetworking With TCP/IP Principles, Protocols, and Architecture, Prentice- Hall, Inc., 1988, pages 215 to 231)	2, 4, 7, 10, 12, 15
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 15 April, 2002 (15.04.02)		Date of mailing of the international search report 30 April, 2002 (30.04.02)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP02/00820

A. CLASSIFICATION OF SUBJECT MATTER		
Int.Cl. ⁷ G06F12/00, 13/00, H04N7/173		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
Int.Cl. ⁷ G06F12/00, 13/00, H04N7/173		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Jitsuyo Shinan Koho 1922-1996 Toroku Jitsuyo Shinan Koho 1994-2002 Kokai Jitsuyo Shinan Koho 1971-2002 Jitsuyo Shinan Toroku Koho 1996-2002		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	JP 2000-285057 A (Sony Corp.), 13 October, 2000 (13.10.00), Full text; all drawings	1, 2, 4-7, 9, 10, 12-15, 17
A	(Family: none)	3, 8, 11, 16
A	DOUGLAS E. COMER, TCP/IP ni yoru Network Kochiku- Genri Protocol Architecture, Kyoritsu Shuppan Co., Ltd., 05 July, 1990 (05.07.90), Pages 171 to 184 (DOUGLAS E. COMER, Internetworking With TCP/IP Principles, Protocols, and Architecture, Prentice- Hall, Inc., 1988, pages 215 to 231)	2, 4, 7, 10, 12, 15
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 15 April, 2002 (15.04.02)		Date of mailing of the international search report 30 April, 2002 (30.04.02)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.